

Seeding and Transplanting

*One for blackbird, one for the crow,
one for the cutworm, and one to grow.*

~ American saying

Seeding Outdoors

Direct sowing methods

Seeds planted directly in garden can be drilled (poked), broadcasted (sprinkled) or planted in little furrows (lines). Refer to the seed packet for suggested methods of sowing seeds.

- **Drilling seeds** is as simple as poking a hole in the soil to the appropriate depth and then covering with soil.
- **Broadcasting seeds** is a common method for grass or wildflower seeds. Broadcasting involves sprinkling seeds over the planting area and the covering with soil or lightly "scratching" in the seed.
- **Furrow seeding** is often used with crops such as carrots, beets or radishes. Dig a shallow furrow in the soil where you want your seeds to go and then drop in a line of seeds. Cover the seeds and pat gently. Furrow-planted crops may need to be thinned (removing plants that are too close together) to the recommended spacing listed on the seed packet. Thinning is done once the plants begin to grow.

Moisture needs for direct sown seeds

After you have directly sown your seeds in the ground, it is important to keep them moist until they germinate.

- Use a watering method (watering can, hose fan attachment) that delivers a "gentle spring rain." You may have to make many passes of light sprinklings to be sure the soil is moist beyond the depth of the newly planted seed.
- Avoid flooding your newly planted area as this can wash away seeds and/or cause your soil to form a "crust" on the top, which makes it difficult for some seeds to push through the soil.
- Keep an eye on your seedbed, and keep it constantly moist. Depending on the weather, you might need to water daily.

Sowing seeds with children

Help younger students to properly space their plantings by using a sowing string (a string staked down with knots or tape marking where the plant should be planted). Another easy method for spacing seeds is to have children measure the distance from thumb to pinkie on their open hand or use a spacing guide. You can also have them measure and mark inches on their trowels to use as a ruler.

Pest protection for young seedlings

Young sprouts are often tempting to birds and other critters! Try covering your seedbeds with floating row cover, bird netting, upside down strawberry baskets or hang bird flash tape over your bed.

Transplanting

Transplanting to larger containers

If you planted many seeds in a container close together to save space, you will have to move or "prick" them out to individual containers with more space.

- Wait until after the first true leaves appear (after the cotyledons).
- Gently tease out closely planted seedlings with a pencil point, popsicle stick, or butter knife.
- Then transplant them to individual containers where they have more space.
- Lift seedlings by their cotyledons or leaves rather than by stem.

When are your plants ready to transplant?

Your seedlings are ready to be transplanted when they have at least two sets of true leaves and their root system is established enough to hold soil around them.

Hardening off

"Hardening off" refers to getting small seedlings accustomed to harsher outdoor conditions before moving them outdoors permanently. Do this by setting them outside for progressively longer periods each day, starting with a few hours and increasing to a full day over the course of a week or so.

What crops are best started indoors and transplanted?

Plants that can tolerate root disturbance and will benefit from a jump on the season are best to start indoors. "Cool weather" crops such as broccoli, cauliflower, and cabbage can be set out up to a month before the last danger of frost in your area. "Warm weather crops," like tomatoes, peppers, and melons should be transplanted in to the garden after all danger of frost is past in your area. Flowers' planting requirements vary, so check the seed packets.

What crops are better started outdoors?

Some crops prefer to be started directly in the garden. Root crops such as carrots, radish and beets don't transplant well, nor do other crops such as corn, beans, peas, squash, melons, and cucumbers. If caring for seeds directly sown in the garden is a challenge at your school (ie. protection from pests, keeping seed bed watered), you can chose to start corn, beans, peas, squash, melons, and cucumbers in containers, but you should do so in larger individual containers rather than the pricking out method described above.

Transplanting tips

Transplant your seedlings into moist garden soil that is neither too dry nor soggy. Refer to the planting guide or seed packet to determine the appropriate spacing of your plants.

- If your transplants are root-bound, with a large mass of roots at the bottom of the plant, gently break up the root ball before transplanting.
- Transplant your plants to the same depth that they were in their containers.
- Water transplants several times using a gentle spray, letting the water seep in between passes. Water gently but directly around the transplant's root ball.
- Water thoroughly so that the soil and water settles around the roots. Use your finger to make sure there is moisture at the depth of the roots. Unless directed otherwise, students may stop watering when they see that the soil surface is wet.
- Avoid transplanting during midday heat if possible.
- Protect your transplants from pests like birds by covering the young plants with upside down strawberry baskets, netting or floating row cover (thin, lightweight fabric).

Seeding Indoors

Why start seeds indoors

Starting seedlings indoors allows students to observe plant germination and provides a more controlled (less hostile) environment for young plants.

Seeding containers

Select any type of container that is about 2-3 inches deep with drainage holes.

- Yogurt containers, small milk cartons and similar small containers work well.
- Paper pots are a resourceful container choice. Explanation in separate handout.
- If you wish to save space, you can sow seeds close together in wider containers called "flats" and then transplant them into individual containers once plants are 1 – 2 inches tall.

Seed starting mix

It is best to use seed starting mix when starting seeds because it is light, absorbent, weed-free and sterile.

- Typical potting soil may be too light for consistent soil to seed contact.
- Garden soil is often too heavy for proper transplant root development.
- You can make your own seed starting mix by mixing 1/3 part horticultural sand, 1/3 part compost and 1/3 part coco pith fiber.

Planting seeds

Before planting, wet the soil mix completely so that it is as wet as a wrung out sponge.

- Fill containers then tap them to settle the soil.
- A good rule of thumb is to plant seeds about two to three times as deep as they are wide.

